# Only 38 mm thick, HD-ready, fanless and low power usage

The Shuttle XS 3510M is a complete Mini-PC in the 1-litre class with Windows 7 operating system. Intel's Atom D510 Dual Core Processor (2x 1.66 GHz) and the NM10 Express chipset serve as the energysaving hardware platform. A high-performance Next-Generation NVIDIA ION graphics card (ION2) provides streaming 3D and video playback. Thanks to the HDMI connection there is also excellent sound and picture quality. Other front and rear connections include 5 x USB, VGA, LAN and Audio. For wireless communication, WLAN (n) is already integrated. The small casing includes a card reader, 2GB DDR2 memory, a 500GB hard disk and a DVD writer in slimline format. The XS 3510M is 100% passively cooled, and thus virtually noiseless.

## **Feature Highlights** Slim 1.5 litre chassis Dimensions: 25.2 x 16.2 x 3.84 cm Chassis Hole for the Kensington Lock Optional: VESA75/100 mounting kit PV01 Operating Windows 7 – various versions available system Intel ATOM D510 Dual Core (Pineview-D) **CPU** Chipset Intel NM10 Express Chipset Discrete Next Gen. NVIDIA ION graphics, Graphics 512MB DDR3, HDMI and VGA outputs 2GB DDR2-667 SO-DIMM module Memory Super-Multi DVD writer in slim-line format or Blu-ray Combo drive with software Storage 500 GB SATA hard disk (2.5") With SD card reader HDMI (Digital Video & Digital Audio) D-Sub VGA 5x USB 2.0 (1x front, 4x rear) Connectors and Microphone input **WLAN** Headphones output LAN WLAN 802.11 b/g/n External 40W fanless power supply Power supply **Applications** Basic and Home-Media

Images are only for illustration purposes.

# System **X53510M** Ultra-Small-Form-Factor-PC





# Shuttle Ultra-Small-Form-Factor-PC XS 3510M - Product Features



#### Slim and stylish

Designed as a space-saver, this sleek 1.5 litre nettop PC only measures 3.8cm in width. It maximizes space whether it is placed upright using its stylish stand or affixed to the back of a display with the optional VESA mounting kit (PV01). Due to its small size and flexible design, this practical nettop offers exceptional functionality and is well-suited for home users, small offices, reception areas, classrooms, libraries, showrooms, call centres, public institutions and more.



**DDR2 SO-DIMM** 

**Next Generation** 

**ION** graphics

USB KENA

**Intel Atom D510** 

**Dual Core** 

(intel)

**NM10** 

#### Fanless and quiet

The Shuttle XS 3510M comes totally fanless making it perfect to be used in noise-sensitive environments such as living rooms, hospitals, libraries etc. As an additional benefit, fanless cases rarely gather dust on the inside and stay cleaner than others. So it's not only quiet and low in energy use, but also dust-free and virtually maintenance free.

#### The Atom processor integrates the memory controller

Shuttle XS 3510M is equipped with Intels new Atom processor, codenamed Pineview. It comes with both the memory controller and graphics core on-die which helps to keep heat dissipation and memory latency low. The CPU is connected to the Southbridge NM10, codenamed Tiger Point.

#### Dual Core. Do more.

Shuttle always uses the dual-core variant of Intel's Atom processors and thus integrates the Atom D510. This boosts the system performance significantly with particular regards to multi-threaded applications.

## **Next Generation ION graphics**

Even with the small size, the Shuttle XS 3510M is equipped with NVIDIA's Next Generation ION graphics for a power-packing slim PC that's unmatchable in size and performance – and is made for more than just entertainment. Key benefits are:


- Digital HDMI output to connect to large displays
- Digital Audio output over HDMI
- Experience video playback at full-HD 1080p resolution
- Ready to take on games
- HDMI and VGA supports dual view (clone or extended mode)



#### SD card reader

The built-in SD card reader at the front side makes it easy to transfer files from your camera so you can share videos and photos on your XS 3510M with ease.





#### Highly energy-saving

The XS 3510M barely consumes, depending on system load, about 20.5~29 Watts. Running the device\*) 5 days a week for eight hours a day, the annual consumption would amount to approx. 60kWh which would mean just 12 Euros on the power bill (20 Euro ct/kWh) - way less than a conventional desktop PC draws.

\*) Based on a configuration with 2GB of memory, 500GB hard disk, DVD drive and Windows 7



#### Excellent media playback

The Shuttle XS 3510M is a fully capable desktop with advanced graphics and impressive multimedia features. Equipped with Next Generation NVIDIA® ION™ graphics processor, the system can handle a wide variety of computing needs including high definition video, gaming, sharing digital photos, surfing the web, and other tasks consumers expect from full-size systems. Enjoy full HD 1080p video playback via HDMI and flawless Flash 10.1 playback from YouTube in high definition.



#### Optional Blu-ray drive

The Shuttle XS 3510M is optionally equipped with an optical Slim-line Blu-ray Combo drive and appropriate software. Experience videos and Blu-ray movies at full-HD 1080p quality.



#### **Kensington Lock**

This is a small, metal-reinforced hole as part of an anti-theft system. As known from notebooks, this Mini-PC can also be safely locked by tieing it to a solid object.

(The lock-and-cable apparatus is not included.)



# Optional VESA mount (Accessory PV01)

Its optional VESA75/100 wallmount allows it to be installed on to walls or just affixed on the rear side of a monitor which is particularly interesting for the industry segment, company buildings and public institutions.



#### Tiny power adapter

The external 40W power adapter is virtually noiseless and can easily be hidden behind the desk thanks to its tiny dimensions.

Dimensions:  $89.5 \times 37 \times 26.5 \text{ mm (LWH)} = 88 \text{ml}$ 

2	
2	
Sesouri	
ŭ	
2	
Ε	
=	
5	
'n	
÷	
2	
Str	
Ξ	
Ξ	
č	
÷	
ď	
2	
Æ	
2.	
۵	
c	
č	
Ŧ	
5	
÷	
Ξ	
۲	
Ξ	
3	
anne	
ζ	
7	
ğ	
C	
C	
Ξ	
č	
- 5	
÷	
U	
2	
2	
ŧ	
٤	
Ξ	
÷	
٤.	
=	
ч	
<	
ć	
Vae	
'n	
Gern	
=	
Į	
순	
5	
C	
U	
4	
5	
ā	
_	
Compliter	
4	
Ξ	
č	
۶	
Č	
-	
#	
ŧ	
of the Co	
ď.	
Š	
÷	
č	
2001	

	Shuttle XS 3510M Specifications
Chassis	Dimensions without stand: 25.2 x 16.2 x 3.85 cm (DxHxW) = 1,57 litre Dimensions with stand: 25.2 x 18.5 x 10.04 cm (DxHxW)  Hole for the Kensington Lock at the back panel Optional accessory: 75mm and 100mm VESA mounting kit (PV01)  Warning: Please make sure the system is always placed upright using either its stand or the optional VESA mount.  Ventilation holes must not be blocked to ensure sufficient cooling.
Operation System	Microsoft Windows 7 (various versions available) 9 languages available: German, English, French, Dutch, Italian, Spanish, Swedish, Finnish, Danish
Processor	Intel Dual-Core Atom processor D510 (Codename: Pineview-D) 45nm manufacturing process, FCBGA559 Intel Hyper-Threading technology: 2-threads per core Intel 64 architecture, Core clock: 1.66GHz, L2 Cache: 1024kB, TDP: max. 15W Integrated North Bridge with controller for memory and graphics
Cooling	Passive, completely fanless cooling
Chipset	Intel® NM10 Express Chipset Platform Controller Hub (PCH), Code name: Tiger Point
BIOS	AMI BIOS in a 2Mbit Flash ROM supports PnP, ACPI 3.0 Supports external USB flash memory card boot up
Memory	2048MB DDR2-667 (PC5300), one SO-DIMM module with 200 pins
Optical drive	Optical Super-Multi writer drive in slimline format or with optional Blu-ray Combo drive with appropriate software Serial ATA interface, 12.7mm height
Hard disk drive	500GB Serial ATA hard disk 6.35cm/2.5" format (5400 RPM)
Discrete Graphics	Graphics processor: Next Generation NVIDIA ION Power consumption: TDP = 12 Watts Video RAM: 512MB DDR3 DirectX 10.1 Two display ports: - Digital HDMI v1.3 output (DVI via adapter), max. 1920 x 1080 - Analog VGA output, max. 2048 x 1536 - Supports Extended Desktop Mode and Clone Mode NVIDIA PureVideo HD supports full HD decode (1080i/p) Supports Blu-ray play back in combination with an optional slim-line Blu-ray drive and appropriate software

©2010 by Shuttle Computer Handels GmbH (Germany). All information subject to change without notice. Pictures for illustration purposes only.


Integrated Audio	IDT92HD81 Audio Codec with Azalia support Two analog audio connectors (3.5mm):  1) Line out (head phone)  2) microphone input Digital Audio via HDMI port
Card Reader	Integrated card reader supports SD and SDHC memory flash cards
Wired Network	RJ45 connector supports 10/100 Mbit/sec., PCI-Express x1 interface Supports Deep Sleep Mode (DSM) Combo controller JMC261 (for LAN and card reader)
Wireless Network	Supports IEEE 802.11b/g/n Half size Mini-PCle-Card
Connectors	HDMI v1.3 supports Digital Video and Digital Audio VGA Analog Video (D-Sub 15 pol., analog) 5x USB 2.0 (1x front, 4x rear) Network (LAN, RJ45) Audio Line-out (head phone) Microphone input DC input for power adapter
LEDs and Buttons	Power button Power LED (white), Hard disk LED (blue)
Power supply	External 40W AC/DC power adapter (fanless) AC Input: 100~240V AC, 50~60Hz Dimensions: 89.5 x 37 x 26.5 mm (LWH)
Certification and Compliance	EMI: CE, FCC, BSMI, C-Tick Safety: CB, BSMI, ETL Other compliances: RoHS, Eup Lot6

# **Shuttle** XS35/GT Product Overview


Graphics	Model name	Туре	Operation System	Memory	Hard Disk	DVD R/W	Bar Code
	X\$35	Barebone	_	-	-	-	811686003274
Integrated (IGP)	XS35-703	System	_	2 GB DDR2	160 GB	-	811686007920
Intel GMA3150	XS35-704	System	_	2 GB DDR2	320 GB	Yes	811686007937
VGA	XS 3500BA	System	Window 7 Prof.	2 GB DDR2	160 GB	-	4046047102181
	XS350VA	System	OpenSUSE Linux	2 GB DDR2	160 GB	-	4046047102204
<b>Next Generation</b>	XS35GT	Barebone	_	-	-	-	811686003281
NVIDIA ION	XS35GT-804	System	_	2 GB DDR2	500 GB	Yes	811686007982
HDMI + VGA	XS 3510MA	System	Win 7 Home Premium	2 GB DDR2	500 GB	Yes	4046047102198

# Shuttle XS 3510M - Connectors

# **Front Panel**



# **Back Panel**



- 1 SD card reader
- 2 USB connector
- 3 Power button with power and hard disk LED
- 4 Super-Multi DVD writer (slimline format)
- 5 Status LED (DVD writer)
- 6 Eject button (DVD writer)
- 7 Emergency hole (DVD writer)
- 8 Stand

- A Microphone input
- **B** Head phone output (line out)
- C Network connector (RJ45)
- D 4x USB connectors
- E VGA connector
- F HDMI connector
- **G** Hole for the Kensington lock
- **H** Connector for power adapter
- I Stand

Notes: The right D-sub port will not be functional and be covered with a cap.



## Warning:

Please make sure the system is always placed upright using either its stand or the optional VESA mount. Ventilation holes must not be blocked to ensure sufficient cooling.













Images are only for illustration purposes.